Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS






FIGURE 1

Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS








FIGURE 4





FIGURE 5

Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS Inventor: Grant, Hugh Filed: November 21, 2001 Atty. Docket No.: 10712-0003-999

Interface
Description
Metadata
Web Client
Web Client
Developer
615
Web Client
Developer
620
WebClient
Customized

Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS Inventor: Grant, Hugh

Filed: November 21, 2001



Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS Inventor: Grant, Hugh Filed: November 21, 2001 Atty. Docket No.: 10712-0003-999






FIGURE 8



Title: AUTOMATED WEB ACCESS FOR BACK-END

ENTERPRISE SYSTEMS
Inventor: Grant, Hugh
Filed: November 21, 2001
Atty. Docket No.: 10712-0003-999



Filed: November 21, 2001 Atty. Docket No.: 10712-0003-999




FIGURE 11

Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS




FIGURE 12

Title: AUTOMATED WEB ACCESS FOR BACK-END
ENTERPRISE SYSTEMS
Inventor: Grant, Hugh
Filed: November 21, 2001
Atty. Docket No.: 10712-0003-999




Figure 13




Figure 14

```
<MetaData>
          <Interface name="Foo">
              <Operation name="opl" replyexpected="true">
                  <requestopen-phase-generated>
                     <! [CDATA [
                         <HTML>
                         <HEAD>
                         <META NAME="GENERATOR" CONTENT="CapeConnect HTML Generator 1.0">
                         <LINK REL=StyleSheet HREF="/capeconnect/capeconnect.css"
                         TYPE="text/css" MEDIA=screen>
                         <TITLE>op1</TITLE>
                         </HEAD>
                         <BODY>
                         ] >
                  </requestopen-phase-generated>
                     <Argument name="return_value" direction="return">
                         <TypeSpec>
                            <BaseType name="long"/>
                         </TypeSpec>
                     <Argument name="arg1" direction="in">
                         <TypeSpec>
                             <BaseType name="string"/>
                                <request-phase-generated depth="2">
                                    <! [CDATA[
                                      <TR><TD><P><B>arg1</B><BR>
                                      <INPUT TYPE="TEXT" NAME="arg1" ></P></TD></TR>
                                    ]]>
                                </request-phase-generated>
                         </TypeSpec>
                      </Argument>
                  <request-phase-generated>
                      <! [CDATA [
                         </BODY>
                         </HTML>
                     ]]>
                  </request-phase-generated>
                  </Operation>
              </Interface>
          </NameSpace>
</MetaData>
```

Title: AUTOMATED WEB ACCESS FOR BACK-END ENTERPRISE SYSTEMS

